

Diagnostic Semen Analysis (Leighton)

What is semen analysis?

Semen analysis is the gold-standard test performed to assess the fertility potential of a male. Several important parameters are measured which include semen volume, sperm concentration, sperm motility and sperm shape. All parameters are compared to reference ranges set by the World Health Organisation (WHO).

The total number of spermatozoa per ejaculate, sperm concentration and the extent of progressive sperm motility are related to pregnancy rates. Motility assessment is usually performed using computer-aided sperm analysis (CASA).

How do I get an appointment?


You will need to be referred to us by a clinician. Once we have received your referral, we will send you out a pack to the address provided to us. This pack will contain instructions, a production form, sample pot and appointment information. These instructions must be read in advance of attempting to produce your sample.

If you cannot make the appointment we have sent you, please contact Ward 25 reception team on 01270 612212 in advance to reschedule. We are unable to accept any samples without an appointment.

How can I produce the sample?

Samples should be collected by masturbation. Do not produce your sample using lubricants, condoms or through the withdrawal method. If you are unable to ejaculate by masturbation, special condoms for use at home may be provided in exceptional circumstances. However, the entire ejaculate will not be available for examination, and the specimen is likely to be contaminated by contact with the skin of the penis and to some extent also vaginal fluid and cells on the outside of the condom.

How do I collect the sample?

Document Title: SCI-AND-FORM-168	Version No: 5	 The Hewitt Fertility Centre
Document Title: Diagnostic semen analysis patient information leaflet (Leighton)		
Date of issue: 04.04.2025	Date of review: 04.04.2027	
Owner: R Lunt	Author: O Sandys	

- In order to obtain an optimum sample you are required to abstain from any sexual activity (masturbation or intercourse) before your appointment. Please ejaculate 4 days before your appointment and then again 2 days before your appointment. Do not ejaculate again until you are producing your sample for analysis.
- Produce your sample by masturbation into the non-toxic sterile pot provided in your pack. Your pot must be labelled with your name, DOB and hospital identification number.
- Please do not attempt to produce your sample into any other type of specimen pot.
- Please ensure you attempt to collect all of the semen produced.
- Once the sample has been collected please ensure the lid is screwed on tightly and place the pot inside the sealable bag provided.
- Ensure you bring the fully completed request form with you to the hospital. We cannot accept your sample until this has been completed correctly.
- The pot must not be exposed to extremes of temperature either before or after sample production. If you are concerned about this, please speak to a member of staff.

Where can I produce the sample?

You may produce your sample at home if you can deliver it to the laboratory at your allotted appointment time **preferably within 30 minutes after collection and at least no longer than 50 minutes after collection**. Whilst travelling from home it is important you keep the sample close to the body under clothes during transportation (for example, in a pocket) as sperm are sensitive to extremes of temperature. If preferable, your partner may deliver your sample and completed production form.

If you cannot deliver your sample to the laboratory within 50 minutes of ejaculation or would rather produce your sample on site, we have rooms available for use.

Where do I need to go?

The Andrology laboratory is located within Ward 25 at Mid Cheshire Hospitals NHS Foundation Trust, Leighton hospital (CW1 4QJ). From the Maternity and Women's services entrance, proceed down the corridor and take the stairs/lift on the left hand side to the 2nd floor. Please report to reception upon arrival.

How do I get my results?


Your results will be sent back to your referring clinician approximately 14 days after your semen analysis. Unfortunately, these results cannot be given to you by our laboratory staff.

Repeat tests

If you cannot produce your sample or have an incomplete collection you will be asked to repeat the test after a further 2 days abstinence. If one or more of your sperm parameters are reported below the lower fifth percentile (WHO 2021) your clinician may request you repeat the test. This is to ensure your results are representative of a typical ejaculate.

What if I have a poor result?

Discovering you have a poor result may come as a shock and leave you feeling anxious. We have counsellors and patient support groups available at our Liverpool and Knutsford centres

Document Title: SCI-AND-FORM-168	Version No: 5	 The Hewitt Fertility Centre
Document Title: Diagnostic semen analysis patient information leaflet (Leighton)		
Date of issue: 04.04.2025	Date of review: 04.04.2027	
Owner: R Lunt	Author: O Sandys	

if you would like to discuss your feelings relating to this diagnosis

(<https://www.thehewittfertilitycentre.org.uk/support-and-advice/>)

You should always bear in mind that advances in fertility treatment mean that you may still be able to conceive. You can discuss your options and next steps with your clinician.

Research and waste

The portion of your sample that is left over after diagnostic semen analysis is disposed of by incineration. It will not be stored for treatment purposes. In some cases, it may be used by us for training or research.

Queries

Please feel free to contact the Hewitt Andrology service on 0151 702 4214 if you require any further information about this test. **PLEASE CONTACT THE WARD 25 RECEPTION TEAM DIRECTLY ON 01270 612212 IF YOU WISH TO CHANGE YOUR DATE/TIME OF APPOINTMENT.**

Quality

The Lewis-Jones Andrology department at the Hewitt Fertility Centre has provided a dedicated Andrology service for over 10 years. We were the first Andrology laboratory to be accredited for quality and competence by the UK Accreditation Scheme (UKAS). Our laboratory is also enrolled in the UK National External Quality Assurance Scheme (UK NEQAS) which helps to ensure clinical laboratory test results are accurate, reliable and comparable wherever they are produced.


Feedback

We appreciate and encourage feedback. If you need advice or are concerned about any aspect of care or treatment please speak to a member of staff

The Lewis-Jones Andrology Department,
Hewitt Fertility Centre,
Liverpool Women's Hospital
Crown Street,
L8 7SS
0151 702 4214
<https://www.thehewittfertilitycentre.org.uk>

This leaflet can be made available in different formats on request. If you would like to make any suggestions or comments about the content of this leaflet, then please contact the Patient Experience Team on 0151 702 4353 or by email at pals@lwh.nhs.uk

Liverpool Women's NHS Foundation Trust
Crown Street
Liverpool
L8 7SS
Tel: 0151 708 9988
Reference: Gyn/2022-342 – v
© Liverpool Women's NHS Foundation Trust

Document Title: SCI-AND-FORM-168	Version No: 5	 The Hewitt Fertility Centre
Document Title: Diagnostic semen analysis patient information leaflet (Leighton)		
Date of issue: 04.04.2025	Date of review: 04.04.2027	
Owner: R Lunt	Author: O Sandys	